



TOOLTIPS#01.22



NEW

**PERFECT
DIMENSIONS
IN EVERY
SITUATION**

DISTY 40R

DISTY 60G

DISTY 80R

LASER DISTANCE METER

SATURN 2.0

Small device
Great performance

→ P.3



NEW

NOW WITH LI-ION BATTERY

**MULTICROSS 4D
ELECTRONIC**

Two horizontal lines &
double slope function

→ P.5



PROCROSS 8.0 DS

The first cross-line laser that
makes rotary lasers tremble

→ P.7



DICE 2*
RED

008.02


795 SEK

DICE 2*
GREEN

008.02G


995 SEK

DICE 3*
RED

008.03


1095 SEK

VISIBILITY:



PRECISION:
 3,5MM / 10M

RANGE (WITH RECEIVER):
 40M

DUST- AND WATER PROOFNESS:
 IP44

BATTERIES:
 3X AAA

AC POWER CONNECTOR:
 NO

LEVELLING:
 PENDULUM LEVELLING

VISIBILITY:



PRECISION:
 3,5MM / 10M

RANGE (WITH RECEIVER):
 40M

DUST- AND WATER PROOFNESS:
 IP44

BATTERIES:
 3X AAA

AC POWER CONNECTOR:
 NO

LEVELLING:
 PENDULUM LEVELLING

VISIBILITY:



PRECISION:
 3,5MM / 10M

RANGE (WITH RECEIVER):
 40M

DUST- AND WATER PROOFNESS:
 IP44

BATTERIES:
 3X AAA

AC POWER CONNECTOR:
 NO

LEVELLING:
 PENDULUM LEVELLING

INCLUDED


130.09

INCLUDED


130.09

INCLUDED


130.09

SATURN 2.0

RED

011.20R



INCLUDING WALLMOUNT



2100 SEK



PROMO

1695 SEK

SATURN 2.0 RED
011.20R

SATURN 2.0

GREEN

011.20G



INCLUDING WALLMOUNT



2295 SEK



PROMO

1895 SEK

SATURN 2.0 GREEN
011.20G

SATURN 2.5*

RED

012.25



PLUMB BOB + 4 ANGLES OF 90°



2995 SEK



PROMO

2100 SEK

SATURN 2.5 RED
012.25-P



YOUR ADVANTAGE

405 SEK

VISIBILITY:
★★★★★

PRECISION:
2MM / 10M



RANGE (WITH RECEIVER):
50M

DUST- AND WATER PROOFNESS:
IP54

BATTERIES:
LI-ION BATTERY 2200MAH, 7.4V

AC POWER CONNECTOR:
YES

LEVELLING:
PENDULUM LEVELLING



VISIBILITY:
★★★★★

PRECISION:
2MM / 10M



RANGE (WITH RECEIVER):
50M

DUST- AND WATER PROOFNESS:
IP54

BATTERIES:
LI-ION BATTERY 2200MAH, 7.4V

AC POWER CONNECTOR:
YES

LEVELLING:
PENDULUM LEVELLING



YOUR ADVANTAGE

400 SEK

VISIBILITY:
★★★★★

PRECISION:
3MM / 10M



RANGE (WITH RECEIVER):
50M

DUST- AND WATER PROOFNESS:
IP54

BATTERIES:
4 X AA

AC POWER CONNECTOR:
NO

LEVELLING:
PENDULUM LEVELLING






FOR FREE

090.180 TRIPOD LIGHT DUTY 180CM - 5/8"

YOUR ADVANTAGE

1420 SEK



* While stock lasts

Changes in price, shape, execution and potential misprints are reserved. Images used are not strict. Prices are valid until 31-07-2022 and are always exclusive of customs and taxes.

MULTICROSS 3D
BRAVE GREEN

028.3DG




3695 SEK



MULTICROSS 3D
FLOOR GREEN

028.3FG



13 MM ABOVE THE FLOOR



3695 SEK



PROMO 3150 SEK

MULTICROSS 3D BRAVE GREEN
028.3DG-P



FOR FREE 091.150 TRIPOD LIGHT DUTY 150CM - TILTING HEAD - 1/4" **YOUR ADVANTAGE 970 SEK**

VISIBILITY:
5/5

PRECISION:
2MM / 10M



RANGE (WITH RECEIVER):
2X 50M

DUST- AND WATER PROOFNESS:
IP54

BATTERIES:
LI-ION (INCLUDED) OR 4X AA

AC POWER CONNECTOR:
YES

LEVELLING:
PENDULUM LEVELLING



PROMO 3150 SEK

MULTICROSS 3D FLOOR GREEN
028.3FG-P



FOR FREE 091.150 TRIPOD LIGHT DUTY 150CM - TILTING HEAD - 1/4" **YOUR ADVANTAGE 970 SEK**

VISIBILITY:
5/5

PRECISION:
2MM / 10M



RANGE (WITH RECEIVER):
2X 50M

DUST- AND WATER PROOFNESS:
IP54

BATTERIES:
LI-ION (INCLUDED) OR 4X AA

AC POWER CONNECTOR:
YES

LEVELLING:
PENDULUM LEVELLING



MULTICROSS 3D
BRAVE GREEN SET

028.3DG-S

3495 SEK

YOUR LASER AND A TRIPOD OF 160CM
IN A PRACTICAL CARRYING BAG

INCLUDING
TURNING TABLE
TO HOLD THE PLUMB IN POSITION



MULTICROSS 3D
FLOOR GREEN SET

028.3FG-S

3150 SEK

YOUR LASER AND A TRIPOD OF 160CM
IN A PRACTICAL CARRYING BAG



MULTICROSS 3D
COMPACT **RED**

030.03D



3695 SEK



MULTICROSS 3D
COMPACT **GREEN**

040.03D



4695 SEK



MULTICROSS 4D
ELECTRONIC **GREEN**

034.4DE



WITH REMOTE CONTROL AND
DOUBLE SLOPE FUNCTION



7350 SEK



PROMO 3150 SEK

MULTICROSS 3D COMPACT **RED**
030.03D-P



FOR FREE
090.180 TRIPOD LIGHT DUTY 180CM - 5/8"
150.12.LT LINE TRACER RED / GREEN

YOUR ADVANTAGE
2120 SEK

PROMO 4195 SEK

MULTICROSS 3D COMPACT **GREEN**
040.03D-P



FOR FREE
090.180 TRIPOD LIGHT DUTY 180CM - 5/8"
150.12.LT LINE TRACER RED / GREEN

YOUR ADVANTAGE
2075 SEK

PROMO 5995 SEK

MULTICROSS 4D ELECTRONIC **GREEN**
034.4DE-P



FOR FREE
090.180 TRIPOD LIGHT DUTY 180CM - 5/8"
150.12.LT LINE TRACER RED / GREEN

YOUR ADVANTAGE
2930 SEK

VISIBILITY:
★★★★★

PRECISION:
2MM / 10M



RANGE (WITH RECEIVER):
2X 50M

DUST- AND WATER PROOFNESS:
IP54

BATTERIES:
LI-ION (INCLUDED) OR 4X AA

AC POWER CONNECTOR:
YES

LEVELLING:
PENDULUM LEVELLING



VISIBILITY:
★★★★★

PRECISION:
2MM / 10M



RANGE (WITH RECEIVER):
2X 50M

DUST- AND WATER PROOFNESS:
IP54

BATTERIES:
LI-ION (INCLUDED) OR 4X AA

AC POWER CONNECTOR:
YES

LEVELLING:
PENDULUM LEVELLING



VISIBILITY:
★★★★★

PRECISION:
1MM / 10M



RANGE (WITH RECEIVER):
2X 60M

DUST- AND WATER PROOFNESS:
IP54

BATTERIES:
LI-ION


AC POWER CONNECTOR:
YES

LEVELLING:
MOTOR LEVELLING



MULTICROSS 5
SINGLE DOT **RED**

033.05R




VISIBLE OUTSIDE



2595 SEK

MULTICROSS 5
SINGLE DOT **GREEN**

033.05G




VISIBLE OUTSIDE



3695 SEK

MULTICROSS 8
HIGH PRECISION SINGLE DOT **RED**

040.08



VISIBLE OUTSIDE



DOUBLE SLOPE FUNCTION



5795 SEK

PROMO 2100 SEK

MULTICROSS 5 SINGLE DOT **RED**
033.05R-P



FOR FREE

090.180 TRIPOD LIGHT DUTY 180CM - 5/8"

YOUR ADVANTAGE

1020 SEK

PROMO 3150 SEK

MULTICROSS 5 SINGLE DOT **GREEN**
033.05G-P



FOR FREE

090.180 TRIPOD LIGHT DUTY 180CM - 5/8"

YOUR ADVANTAGE

1070 SEK

PROMO 5250 SEK

MULTICROSS 8 HPSD **RED**
040.08-P




FOR FREE

090.300 TRIPOD MEDIUM DUTY 300CM - 5/8"


YOUR ADVANTAGE

2040 SEK




- VISIBILITY: 5/5
- PRECISION: 1,5MM / 10M
- RANGE (WITH RECEIVER): 2X 50M
- DUST- AND WATER PROOFNESS: IP54
- BATTERIES: LI-ION (INCLUDED) OR 4X AA
- AC POWER CONNECTOR: YES
- LEVELLING: PENDULUM LEVELLING



- VISIBILITY: 5/5
- PRECISION: 1,5MM / 10M
- RANGE (WITH RECEIVER): 2X 50M
- DUST- AND WATER PROOFNESS: IP54
- BATTERIES: LI-ION (INCLUDED) OR 4X AA
- AC POWER CONNECTOR: YES
- LEVELLING: PENDULUM LEVELLING




- VISIBILITY: 5/5
- PRECISION: 1MM / 10M
- RANGE (WITH RECEIVER): 2X 50M
- DUST- AND WATER PROOFNESS: IP54
- BATTERIES: LI-ION
- AC POWER CONNECTOR: YES
- LEVELLING: MOTOR LEVELLING



MULTICROSS 8
HIGH PRECISION SINGLE DOT
GREEN

040.08G



VISIBLE OUTSIDE

DOUBLE
SLOPE FUNCTION



6795 SEK

PROMO **6295 SEK**

MULTICROSS 8 HPSD GREEN
040.08G-P



FOR FREE

090.300 TRIPOD MEDIUM DUTY 300CM - 5/8"

YOUR ADVANTAGE

1995 SEK

VISIBILITY:
★★★★★

PRECISION:
1MM / 10M



RANGE (WITH RECEIVER):
2X 50M

DUST- AND WATER PROOFNESS:
IP54


BATTERIES:
LI-ION

AC POWER CONNECTOR:
YES

LEVELLING:
MOTOR LEVELLING



CLEARLY VISIBLE
LATEST LASER DIODES



3 SLOPE FUNCTIONS

- MANUAL
- ELECTRONIC
- DIGITAL

TILT FUNCTION
PREVENTS MEASUREMENT ERRORS

JA OUI

PROTECTION
DUST- AND WATERPROOF


IP66

RANGE
WITH RECEIVER



PROCROSS 8.0 DS
GREEN

044.80G



DIGITAL SLOPE FUNCTION
+ TILTFUNCTION



13695 SEK

PROMO **9500 SEK**

PROCROSS 8.0 DS GREEN
044.80G

YOUR ADVANTAGE

4195 SEK

MAXI
PACK



- 090.300
- 150.40.M
→ SEE PAGE 12

044.80G-E

12650 SEK

VISIBILITY:
★★★★★

PRECISION:
1MM / 10M



RANGE (WITH RECEIVER):
2X 200M

DUST- AND WATER PROOFNESS:
IP66


BATTERIES:
LI-ION

AC POWER CONNECTOR:
YES

LEVELLING:
MOTOR LEVELLING



INCLUDED



RED RUNNER

RED
050.09.1E



WITH GYRO
RECEIVER RED



6795 SEK

GREEN RUNNER

GREEN
060.09.1E



WITH GYRO
RECEIVER GREEN



7895 SEK

PARA

RED
051.02.50.R



WITH BULL RED



10500 SEK

PROMO 6995 SEK

RED RUNNER RED
050.09.1E.CS



FOR FREE 100.135 TRIPOD ALUMINIUM 135CM - 5/8"
140.300 TELESCOPIC LEVELLING STAFF 300CM
181.23 CASE FOR RED/GREEN RUNNER AND TRIPOD

YOUR ADVANTAGE 2140 SEK

PROMO 7995 SEK

GREEN RUNNER GREEN
060.09.1E.CS




FOR FREE 100.135 TRIPOD ALUMINIUM 135CM - 5/8"
140.300 TELESCOPIC LEVELLING STAFF 300CM
181.23 CASE FOR RED/GREEN RUNNER AND TRIPOD

YOUR ADVANTAGE 2240 SEK

PROMO € 7350 SEK

PARA RED
051.02.50.R



MAXI PACK + **YOUR ADVANTAGE 3150 SEK**

110.300
140.240.SK
051.02.50.R-P
SEE PAGE 12
9500 SEK

- VISIBILITY:
- PRECISION: 1MM / 10M
- RANGE (WITH RECEIVER): 2X 250M
- DUST- AND WATER PROOFNESS: IP65
- BATTERIES: NI-MH (INCLUDED) OR 4X C
- AC POWER CONNECTOR: YES
- LEVELLING: MOTOR LEVELLING



- VISIBILITY:
- PRECISION: 1MM / 10M
- RANGE (WITH RECEIVER): 2X 250M
- DUST- AND WATER PROOFNESS: IP65
- BATTERIES: NI-MH (INCLUDED) OR 4X C
- AC POWER CONNECTOR: YES
- LEVELLING: MOTOR LEVELLING



- VISIBILITY:
- PRECISION: 1MM / 10M
- RANGE (WITH RECEIVER): 2X 300M
- DUST- AND WATER PROOFNESS: IP66
- BATTERIES: NI-MH (INCLUDED) OR 4X C
- AC POWER CONNECTOR: YES
- LEVELLING: MOTOR LEVELLING



PARA GREEN

061.02.50.G



WITH BULL GREEN

11500 SEK



PARA DS RED

051.05.50.R



WITH BULL RED

15500 SEK



PARA DS GREEN

061.05.50.G



WITH BULL GREEN

16695 SEK



PROMO 8350 SEK

PARA GREEN
061.02.50.G

YOUR ADVANTAGE
3150 SEK

PROMO 11850 SEK

PARA DS RED
051.05.50.R

YOUR ADVANTAGE
3650 SEK

PROMO 12350 SEK

PARA DS GREEN
061.05.50.G

YOUR ADVANTAGE
4345 SEK

MAXI PACK - 110.300 - 140.240.5K 061.02.50.R-P
→ SEE PAGE 12 **10500 SEK**

MAXI PACK - 110.300 - 140.240.5K 051.05.50.R-P
→ SEE PAGE 12 **13995 SEK**

MAXI PACK - 110.300 - 140.240.5K 061.05.50.R-P
→ SEE PAGE 12 **14500 SEK**

- VISIBILITY:
- PRECISION: 1MM / 10M
- RANGE (WITH RECEIVER): 2X 300M
- DUST- AND WATER PROOFNESS: IP66
- BATTERIES: NI-MH (INCLUDED) OR 4X C
- AC POWER CONNECTOR: YES
- LEVELLING: MOTOR LEVELLING

- VISIBILITY:
- PRECISION: 0,8MM / 10M
- RANGE (WITH RECEIVER): 2X 300M
- DUST- AND WATER PROOFNESS: IP65
- BATTERIES: NI-MH (INCLUDED) OR 4X C
- AC POWER CONNECTOR: YES
- LEVELLING: MOTOR LEVELLING

- VISIBILITY:
- PRECISION: 0,8MM / 10M
- RANGE (WITH RECEIVER): 2X 300M
- DUST- AND WATER PROOFNESS: IP65
- BATTERIES: NI-MH (INCLUDED) OR 4X C
- AC POWER CONNECTOR: YES
- LEVELLING: MOTOR LEVELLING

INCLUDED HCASE.PAR 180.20 180.40 060.02.L H60002 H60017 H7002 150.50.G

INCLUDED HCASE.PAR 180.30 180.10 060.02.L H60002 H60017 H7001 150.50.R

INCLUDED HCASE.PAR 180.20 180.40 060.02.L H60002 H60017 H7001 150.50.G

LINE TRACER RED/GREEN

150.12.LT



MAXIMUM RANGE: (DEPENDING ON LASER BEAM INTENSITY)
50M

HEIGHT OF RECEPTION FIELD:
22MM

FRONT INDICATOR:
LED LIGHTS

REAR INDICATOR:
LED LIGHTS

DISTANCE TO LASER LINE (MM) INDICATOR:
NO

COMPATIBLE LASER FREQUENCIES (IN RECEIVER MODE):
10KHZ

**1050 SEK**

RECEIVER CLAMP
(INCLUDED): **H60029**

GYRO RECEIVER RED

150.10.GS



MAXIMUM RANGE: (DEPENDING ON LASER BEAM INTENSITY)
250M

HEIGHT OF RECEPTION FIELD:
45MM

FRONT INDICATOR:
LCD SCREEN

REAR INDICATOR:
LCD SCREEN

DISTANCE TO LASER LINE (MM) INDICATOR:
NO

COMPATIBLE LASER FREQUENCIES (IN RECEIVER MODE):
NOT APPLICABLE

**1250 SEK**

RECEIVER CLAMP
(INCLUDED): **H60009**

GYRO RECEIVER GREEN

150.20.GS



MAXIMUM RANGE: (DEPENDING ON LASER BEAM INTENSITY)
250M

HEIGHT OF RECEPTION FIELD:
45MM

FRONT INDICATOR:
LCD SCREEN

REAR INDICATOR:
LCD SCREEN

DISTANCE TO LASER LINE (MM) INDICATOR:
NO

COMPATIBLE LASER FREQUENCIES (IN RECEIVER MODE):
NOT APPLICABLE

**1250 SEK**

RECEIVER CLAMP
(INCLUDED): **H60009**

BULL RED

150.50.R



MAXIMUM RANGE: (DEPENDING ON LASER BEAM INTENSITY)
300M

HEIGHT OF RECEPTION FIELD:
125MM

FRONT INDICATOR:
LCD SCREEN + LED LIGHTS

REAR INDICATOR:
LCD SCREEN

DISTANCE TO LASER LINE (MM) INDICATOR:
NO

COMPATIBLE LASER FREQUENCIES (IN RECEIVER MODE):
NOT APPLICABLE

**1995 SEK**

RECEIVER CLAMP
(INCLUDED): **H60016**

BULL GREEN

150.50.G



MAXIMUM RANGE: (DEPENDING ON LASER BEAM INTENSITY)
300M

HEIGHT OF RECEPTION FIELD:
125MM

FRONT INDICATOR:
LCD SCREEN + LED LIGHTS

REAR INDICATOR:
LCD SCREEN

DISTANCE TO LASER LINE (MM) INDICATOR:
NO

COMPATIBLE LASER FREQUENCIES (IN RECEIVER MODE):
NOT APPLICABLE

**1995 SEK**

RECEIVER CLAMP
(INCLUDED): **H60016**

QUATTRO

150.40.A



MAXIMUM RANGE: (DEPENDING ON LASER BEAM INTENSITY)
↕ 200M / ↻ 400M

HEIGHT OF RECEPTION FIELD:
60MM

FRONT INDICATOR:
LCD SCREEN + LED LIGHTS

REAR INDICATOR:
LCD SCREEN

DISTANCE TO LASER LINE (MM) INDICATOR:
NO

COMPATIBLE LASER FREQUENCIES (IN RECEIVER MODE):
7-12 KHZ

**2100 SEK**

RECEIVER CLAMP
(INCLUDED): **H60013**

QUATTRO MM

150.40.M



MAXIMUM RANGE: (DEPENDING ON LASER BEAM INTENSITY)
↕ 200M / ↻ 400M

HEIGHT OF RECEPTION FIELD:
60MM

FRONT INDICATOR:
LCD SCREEN + LED LIGHTS

REAR INDICATOR:
LCD SCREEN

DISTANCE TO LASER LINE (MM) INDICATOR:
YES

COMPATIBLE LASER FREQUENCIES (IN RECEIVER MODE):
7-12 KHZ

**3150 SEK**

RECEIVER CLAMP
(INCLUDED): **H60013**

MAESTRO RED

150.60.R



MAXIMUM RANGE: (DEPENDING ON LASER BEAM INTENSITY)
400M

HEIGHT OF RECEPTION FIELD:
90MM

FRONT INDICATOR:
LCD SCREEN + LED LIGHTS

REAR INDICATOR:
LCD SCREEN

DISTANCE TO LASER LINE (MM) INDICATOR:
YES

COMPATIBLE LASER FREQUENCIES (IN RECEIVER MODE):
NOT APPLICABLE

**3695 SEK**

RECEIVER CLAMP
(INCLUDED): **H60013**

LIGHT DUTY 150CM

091.150



425 SEK

RANGE (MINIMUM & MAXIMUM HEIGHT):
50-150CM

SCREW THREAD:
1/4"

HEAD:
TILTING HEAD

FEET:
RUBBER

HEIGHT ADJUSTMENT:
FOLD-OUT LEGS + SPINDLE

LIGHT DUTY 180CM

090.180



525 SEK

RANGE (MINIMUM & MAXIMUM HEIGHT):
65-180CM

SCREW THREAD:
5/8"

HEAD:
FIXED

FEET:
RUBBER

HEIGHT ADJUSTMENT:
FOLD-OUT LEGS + SPINDLE

MEDIUM DUTY 300CM

090.300



1495 SEK

RANGE (MINIMUM & MAXIMUM HEIGHT):
75-300CM

SCREW THREAD:
5/8"

HEAD:
FIXED

FEET:
RUBBER, METAL PIN

HEIGHT ADJUSTMENT:
FOLD-OUT LEGS + SPINDLE

SUPPORT POLE 330CM

120.330



850 SEK

RANGE (MINIMUM & MAXIMUM HEIGHT):
120-330CM

SCREW THREAD:
5/8"

HEAD:
FIXED

FEET:
RUBBER

HEIGHT ADJUSTMENT:
INFINITE HEIGHT ADJUSTMENT ALONG POLE WITH CLAMP

ALUMINIUM 135CM

100.135



695 SEK

RANGE (MINIMUM & MAXIMUM HEIGHT):
80-135CM

SCREW THREAD:
5/8"

HEAD:
FIXED

FEET:
METAL PIN

HEIGHT ADJUSTMENT:
EXTENDABLE LEGS

ALUMINIUM 165CM

100.165



795 SEK

RANGE (MINIMUM & MAXIMUM HEIGHT):
100-165CM

SCREW THREAD:
5/8"

HEAD:
FIXED

FEET:
METAL PIN

HEIGHT ADJUSTMENT:
EXTENDABLE LEGS

ALUMINIUM 3D 165CM

100.165.D



895 SEK

RANGE (MINIMUM & MAXIMUM HEIGHT):
100-165CM

SCREW THREAD:
5/8"

HEAD:
DOME HEAD

FEET:
METAL PIN

HEIGHT ADJUSTMENT:
FOLD-OUT LEGS + SPINDLE

HEAVY DUTY 330CM

110.330



2195 SEK

RANGE (MINIMUM & MAXIMUM HEIGHT):
128-330CM

SCREW THREAD:
5/8"

HEAD:
FIXED

FEET:
RUBBER, METAL PIN

HEIGHT ADJUSTMENT:
FOLD-OUT LEGS + SPINDLE

HEAVY DUTY 400CM

110.400



2995 SEK

RANGE (MINIMUM & MAXIMUM HEIGHT):
170-400CM

SCREW THREAD:
5/8"

HEAD:
FIXED

FEET:
METAL PIN

HEIGHT ADJUSTMENT:
FOLD-OUT LEGS + SPINDLE

TELESCOPIC ROD 300CM

140.300


 RANGE (MINIMUM & MAXIMUM HEIGHT):
 83-300 CM

QUICK CLAMP FOR RECEIVER:

NO

VIAL:

YES

395 SEK

TELESCOPIC ROD 400CM

140.400


 RANGE (MINIMUM & MAXIMUM HEIGHT):
 120-400 CM

QUICK CLAMP FOR RECEIVER:

NO

VIAL:

YES

425 SEK

TELESCOPIC ROD 500CM

140.500


 RANGE (MINIMUM & MAXIMUM HEIGHT):
 120-500 CM

QUICK CLAMP FOR RECEIVER:

NO

VIAL:

YES

550 SEK

AUTOLOCK ROD 240CM

140.240.SK


 RANGE (MINIMUM & MAXIMUM HEIGHT):
 87-240 CM

QUICK CLAMP FOR RECEIVER:

YES

VIAL:

YES

725 SEK

AUTOLOCK ROD 350CM

140.350.SK


 RANGE (MINIMUM & MAXIMUM HEIGHT):
 191-350 CM

QUICK CLAMP FOR RECEIVER:

YES

VIAL:

YES

850 SEK
**MAXI
PACK**

 GET **THE MOST** OUT OF YOUR LASER
 WITH A RANGE OF ACCESSORIES AT A **MINIMUM PRICE**

PROCROSS **MAXI PACK**

INCLUDES:

- TRIPOD 300CM
- QUATTRO MM

NORMAL PRICE: ~~4645~~ SEK
 NOW ONLY
3150
 SEK

 PROCROSS 8.0 DS **MAXI PACK**
 GREEN

044.80G-P

12650 SEK

PARA (DS) **MAXI PACK**

INCLUDES:

- MEASURING ROD 240CM
- TRIPOD 330CM

NORMAL PRICE: ~~2920~~ SEK
 NOW ONLY
2150
 SEK

 PARA **MAXI PACK**
 RED

051.02.50.R-P

9500 SEK
 PARA **MAXI PACK**
 GREEN

061.02.50.G-P

10500 SEK
 PARA DS **MAXI PACK**
 RED

051.05.50.R-P

14000 SEK
 PARA DS **MAXI PACK**
 GREEN

061.02.50.G-P

14500 SEK

"MAXI PACK" IS ONLY SOLD IN COMBINATION WITH A NEW LASER. NEVER AS A SEPARATE PACKAGE.

Changes in price, shape, execution and potential misprints are reserved. Images used are not strict. Prices are valid until 31-07-2022 and are always exclusive of customs and taxes.

MINI MAGNETIC WALL MOUNT 1/4"



130.11 225 SEK

SMALL WALL MOUNT WITH MAGNET 1/4"



130.12 225 SEK

WALLCLAMP WITH 3D HEAD 1/4"



130.09 225 SEK

WALL MOUNT WITH CLAMP AND MAGNET 1/4"



130.08 550 SEK

WALL MOUNT PRECISION 5/8"



130.03 550 SEK

WALL MOUNT HEAVY DUTY 5/8"



130.04 750 SEK

PIVOT TABLE FOR MC3D BRAVE



130.13 425 SEK

MINI TRIPOD WITH SHIFTING BASE FOR 3D CROSS LASERS



130.10 995 SEK

SLOPE ADAPTER 5/8"




115.11 1295 SEK

TRIPOD ADAPTER



130.01 (1/4" M - 5/8" F) 225 SEK
130.06 (5/8" M - 1/4" F) 175 SEK
130.07 (5/8" M - 5/8" F) 175 SEK

LASER GLASSES



180.10 (RED) 175 SEK
180.40 (GREEN) 175 SEK

MAGNETIC TARGET PLATE



180.30 (RED) 175 SEK
180.20 (GREEN) 175 SEK

LI-ION BATTERY



3.7V / 3200MAH
FOR: 033.05R, 033.05G, 028.3DG, 028.3FG

H60022 325 SEK

LI-ION BATTERY



7.4V / 2600MAH
FOR: 030.03D, 040.03D, 034.4DE

H60028 325 SEK

LI-ION BATTERY



14.8V / 3400MAH
FOR: 044.80G

H60031 1595 SEK

LI-ION BATTERY



7.4V / 2600MAH
FOR: 040.08, 040.08G

H60023 695 SEK

MODUL FOR 4 C-BATTERIES



FOR: 050.09, 060.09, 051.02, 051.05, 061.02, 061.05

H60017 425 SEK

NIMH BATTERY



FOR: 050.09, 060.09, 051.02, 051.05, 061.02, 061.05

H60002 625 SEK

CHARGER



FOR: 033.05R, 033.05G, 028.3DG, 028.3FG

H60024 325 SEK
H60030 50 SEK

CHARGER + BATTERYBASE



H60027B FOR: 030.03D, 040.03D

H60027 (A+B) 375 SEK
H60027A 250 SEK
H60027B 175 SEK

CHARGER



FOR: 044.80G

H60032 325 SEK

CHARGER



FOR: 032.03D, 045.03D, 042.08, 040.08, 040.08G

H60019 225 SEK

CHARGER + USB-C CABLE



FOR: 011.20R, 011.20G, 034.4DE

H60033 325 SEK

CHARGER



FOR: 050.09, 060.09, 051.02, 051.05, 061.02, 061.05

060.02.L 495 SEK

ROLLER 2

MEASURING TAPE
501.02



KEY RING



55 SEK

RANGE:
2M
WIDTH MEASURING TAPE:
12MM
EXTRA THICK MEASURING TAPE:
NO
NYLON COATED:
NO
BRAKE WITH LOCK:
YES
PRESSURE BRAKE:
YES

ROLLER 5

MEASURING TAPE
500.05



PRESSURE BRAKE



175 SEK

RANGE:
5M
WIDTH MEASURING TAPE:
25MM
EXTRA THICK MEASURING TAPE:
YES
NYLON COATED:
YES
BRAKE WITH LOCK:
YES
PRESSURE BRAKE:
YES

ROLLER 8

MEASURING TAPE
500.08



PRESSURE BRAKE



275 SEK

RANGE:
8M
WIDTH MEASURING TAPE:
27MM
EXTRA THICK MEASURING TAPE:
YES
NYLON COATED:
YES
BRAKE WITH LOCK:
YES
PRESSURE BRAKE:
YES

DISTY 40R

RED
LASER DISTANCE METER
202.40R



995 SEK



RANGE:
40M
NUMBER OF MEMORY LOCATIONS:
99
SLOPE INDICATOR:
YES
SURFACE & VOLUME:
YES
PYTHAGORAS FUNCTION:
YES
PRECISION:
2 MM

PROMO
750 SEK

YOUR ADVANTAGE
245 SEK

DISTY 60G

GREEN
LASER DISTANCE METER
202.60G



1695 SEK



RANGE:
60M
NUMBER OF MEMORY LOCATIONS:
99
SLOPE INDICATOR:
YES
SURFACE & VOLUME:
YES
PYTHAGORAS FUNCTION:
YES
PRECISION:
2 MM

PROMO
1395 SEK

YOUR ADVANTAGE
300 SEK

DISTY 80R

RED
LASER DISTANCE METER
202.80R



1500 SEK



RANGE:
80M
NUMBER OF MEMORY LOCATIONS:
99
SLOPE INDICATOR:
YES
SURFACE & VOLUME:
YES
PYTHAGORAS FUNCTION:
YES
PRECISION:
2 MM

PROMO
1100 SEK

YOUR ADVANTAGE
€400 SEK

RM400

MEASURING WHEEL
160.400




RANGE:
9999,9M
PRECISION:
100MM
AVAILABLE UNITS:
M



1150 SEK

TEMPPOINTER 9

INFRARED THERMOMETER
300.09



SHOWS MEASURING AREA



PRECISION:
+/-1,5 °C
TEMPERATURE RANGE INFRARED:
-50°C - +800°C
EMISSIVITY:
0,10 - 1,0
RESOLUTION INFRARED:
NOT APPLICABLE
RESOLUTION PHOTO:
NOT APPLICABLE
LCD SCREEN:
NO



1100 SEK

TEMPVIEWER 6400

THERMAL CAMERA
320.2121



PRECISION:
+/- 2°C
TEMPERATURE RANGE INFRARED:
-20°C - 380°C
EMISSIVITY:
0,1 - 0,99
RESOLUTION INFRARED:
80X80 (6400)
RESOLUTION PHOTO:
240 X 320
LCD SCREEN:
2" COLOR



8500 SEK

TUBEVIEWER 2.9

INSPECTION CAMERA
635.029



DISPLAY:
3,5" TFT
RESOLUTION:
640 X 480
CAMERA DIAMETER:
9 MM
RANGE OF FOCUS (DEPTH OF FIELD):
5 CM - 15 CM
GOOSENECK LENGTH:
2 M
LIGHTING OF OBJECT:
4X LED



2600 SEK

PROMO
2150 SEK

YOUR ADVANTAGE
450 SEK

TUBECORDER 5.9

INSPECTION CAMERA
635.059



DISPLAY:
3,5" TFT
RESOLUTION:
640 X 480
CAMERA DIAMETER:
9 MM
RANGE OF FOCUS (DEPTH OF FIELD):
5 CM - 15 CM
GOOSENECK LENGTH:
5 M
LIGHTING OF OBJECT:
4X LED



3695 SEK

PROMO
3150 SEK

YOUR ADVANTAGE
545 SEK

GOOSENECK 2.9

690.029

GOOSENECK 5.9

690.059

GOOSENECK 10.9

690.109



690.029	GOOSENECK 2.9	2M
690.059	GOOSENECK 5.9	5M
690.109	GOOSENECK 10.9	10M



ONLY FOR TUBECORDER 5.9

1395 SEK
1795 SEK
2150 SEK

RESOLUTION:
640 X 480
CAMERA DIAMETER:
9 MM
RANGE OF FOCUS (DEPTH OF FIELD):
5 CM - 15 CM
GOOSENECK LENGTH:
10 M
LIGHTING OF OBJECT:
4X LED
DUST AND WATER TIGHTNESS:
IP67

VOLTPEN 200-12

VOLTAGE DETECTOR A/C
410.212



225 SEK



CATEGORY:
CAT IV 1000V
TRUE RMS:
NO
VOLTAGE DC/AC:
12V-1000V (AC) / 200V-1000V (AC)
CURRENT DC/AC:
NO
SETTING RANGE:
MANUAL
DISPLAY:
NO

VOLTTESTER 4.6A

VOLTAGE & CONTINUITY TESTER
420.46A



995 SEK



CATEGORY:
CAT III 1000V / CAT IV 600V
TRUE RMS:
NO
VOLTAGE DC/AC:
+/- 12, 24, 50, 120, 230, 400, 690, 1000V
CURRENT DC/AC:
NOT APPLICABLE
SETTING RANGE:
AUTOMATIC
DISPLAY:
LED

PROMO
850 SEK

YOUR ADVANTAGE
145 SEK

AMPCLAMP 1000

CLAMP METER
431.000



CATEGORY:
CAT III 1000V / CAT IV 600V
TRUE RMS:
YES
VOLTAGE DC/AC:
MAX. 1000V
CURRENT DC/AC:
MAX. 1000A
SETTING RANGE:
AUTOMATIC
DISPLAY:
LCD, 6000 COUNTS



1895 SEK

PROMO
1650 SEK

YOUR ADVANTAGE
245 SEK

MULTIPOWER 3.6 COMPACT MULTIMETER

400.36C



CATEGORY:
CAT. III - 600V
TRUE RMS:
YES
VOLTAGE DC/AC:
MAX. 600V
CURRENT DC/AC:
MAX. 10A
SETTING RANGE:
AUTOMATIC
DISPLAY:
DIGITAL, 4000 COUNTS



995 SEK

PROMO
750 SEK

YOUR ADVANTAGE
245 SEK

MULTIPOWER 4.6

MULTIMETER
400.46



CATEGORY:
CAT. IV - 600V / CAT. III - 1000V
TRUE RMS:
YES
VOLTAGE DC/AC:
MAX. 1000V
CURRENT DC/AC:
MAX. 10A
SETTING RANGE:
AUTOMATIC
DISPLAY:
DIGITAL, 6000 COUNTS



1995 SEK

PROMO
1650 SEK

YOUR ADVANTAGE
345 SEK

SIGNALTESTER RJ-F + SIGNALPROBE RJ-F CABLING TESTER

450.68C



CABLE TYPES:
SHIELDED OR UNSHIELDED; COAX - CAT 7, 7A, 6, 6A, 5, 5E, 4, 3
VOICE:
RJ11/RJ12 (4/6 WIRES)
DATA:
RJ45 (8 WIRES)
VIDEO:
TYPE-F (COAX)
TESTS:
PASS / FAIL / REVERSED / SHORTED / CROSS OVER / OPEN / SHIELD / SPLIT
WIRING TESTER:
INCLUDED



1100 SEK

MULTISCAN

WALL SCANNER

196.20




850 SEK

PROMO
650 SEK

YOUR ADVANTAGE
200 SEK

- DETECTION DEPTH FOR FERROUS METALS:
80 MM
- DETECTION DEPTH FOR NON-FERROUS METALS:
60 MM
- DETECTION DEPTH FOR LIVE CONDUCTORS:
50 MM
- DETECTION DEPTH FOR WOOD:
20 MM
- GRAPHIC INDICATION OF DETECTION DEPTH:
YES
- AC POWER CONNECTOR:
NO



WETPRICKER

MOISTURE METER

700.08



750 SEK

PROMO
650 SEK

YOUR ADVANTAGE
100 SEK

- MEASURING DEPTH, WOOD:
+/- 2MM
- MEASURING DEPTH, BUILDING MATERIALS:
+/- 1 MM
- NUMBER OF WOOD TYPES:
1
- NUMBER OF BUILDING MATERIALS TYPES:
1
- CALLIBRAGE FUNCTION:
YES
- MEASUREMENT ACCURACY (WOOD):
+/- 2%



HYDRO

ULTRASONIC MOISTURE METER

195.10



1795 SEK



- MEASURING DEPTH, WOOD:
20MM
- MEASURING DEPTH, BUILDING MATERIALS:
10MM
- NUMBER OF WOOD TYPES:
8
- NUMBER OF BUILDING MATERIALS TYPES:
4
- CALLIBRAGE FUNCTION:
YES
- MEASUREMENT ACCURACY (WOOD):
+/- 1,5%

Find
the best laser
for you!

selectlaser.com

TOTALVIEW*



60CM	905-60P	525 SEK
120CM	905-120P	825 SEK
180CM	905-180P	1150 SEK
200CM	905-200P	1295 SEK
60CM	905M-60P ☞	595 SEK
120CM	905M-120P ☞	895 SEK
180CM	905M-180P ☞	1195 SEK



PRECISION:
0,5MM/M

SLOPE INDICATOR:
1° - 2°

NUMBER OF HANDLES:
60CM: 1 / 120,180,200CM: 2

MAGNETIC:
4 VERSIONEN: NO / 3 VERSIONEN: YES

NUMBER OF MEMORY LOCATIONS:
0

VIAL:
RED/WHITE

DIGITAL LEVEL



60CM	850.060DM ☞	1050 SEK
120CM	850.120DM ☞	1495 SEK



PRECISION:
0,4MM/M

SLOPE INDICATOR:
DIGITAL

NUMBER OF HANDLES:
60CM: 1 / 120CM: 2

MAGNETIC:
YES

NUMBER OF MEMORY LOCATIONS:
9

VIAL:
YELLOW/GREEN

PROMO (DIGITAL LEVEL 60CM)
750 SEK
850.060DM

YOUR ADVANTAGE **300 SEK**

PROMO (DIGITAL LEVEL 120CM)
1150 SEK
850.120DM

YOUR ADVANTAGE **345 SEK**

DIGICORNER



30CM	992D T-BEVEL-30	795 SEK
------	-----------------	----------------



PRECISION:
0,1°

SLOPE INDICATOR:
DIGITAL

NUMBER OF HANDLES:
0

MAGNETIC:
NO

NUMBER OF MEMORY LOCATIONS:
1

VIAL:
YELLOW/GREEN

RHINO*



60CM	930-10-60	650 SEK
80CM	930-10-80	695 SEK



PRECISION:
0,5MM/M

SLOPE INDICATOR:
1° - 2°

NUMBER OF HANDLES:
0

MAGNETIC:
NO

NUMBER OF MEMORY LOCATIONS:
0

VIAL:
RED/WHITE

DIGITAL LEVEL



20CM	906D-20	995 SEK
------	---------	----------------



PRECISION:
0°: 0,5° / REST: 0,1°

SLOPE INDICATOR:
DIGITAL; DEGREE, PERCENTAGE, MM/M

NUMBER OF HANDLES:
0

MAGNETIC:
YES

NUMBER OF MEMORY LOCATIONS:
0

VIAL:
NO

EAGLE 24

OPTICAL VIEWER

071.24



2750 SEK



PRECISION:
2,0 MM
APERTURE:
36MM
MAGNIFICATION:
24X
SELF-LEVELLING RANGE:
±15'
HORIZONTAL CIRCLE:
360°

SET

3395 SEK

071.24.SET

FOR FREE 100.165.D TRIPOD DOME HEAD
140.400 LEVELLING STAFF 4M

YOUR ADVANTAGE 675 SEK

EAGLE 32

OPTICAL VIEWER

071.32



2995 SEK



PRECISION:
1,0 MM
APERTURE:
42MM
SELF-LEVELLING RANGE:
32X
SELBSTNIVELLIERBEREICH:
±15'
HORIZONTAL CIRCLE:
360°

SET

3600 SEK

071.32.SET

FOR FREE 100.165.D TRIPOD DOME HEAD
140.400 LEVELLING STAFF 4M

YOUR ADVANTAGE 715 SEK

WARRANTY CLAUSES

FUTECH measuring instruments are made with carefully selected components and manufactured with the utmost care, so that we can offer you products of superior quality. In the unlikely event of your product becoming defective as a result of material or manufacturing faults, you can benefit from a 2 YEAR manufacturer's warranty. During this period, your device will be repaired or replaced free of charge if all of the following conditions are met:

1. Your device was purchased less than 2 years beforehand from an authorised FUTECH distributor. As proof, you attach a copy of the purchase invoice stating the type and serial number of the device to the defective product.
2. You send the defective product to an authorised FUTECH distributor in its original protective packaging (fabric bag, plastic case, etc.).
3. The product does not display damage caused by inappropriate use (e.g. crack(s) due to a fall, internal sand/dirt/water damage, blown or replaced fuses, damage due to use of incorrect charger/adapter, leaky batteries, attempt to remove or alter the serial number, damage after opening the product, etc.)
4. The product does not show signs of handling or (partial) repair by an unauthorised service centre (e.g. opening of the product, use of non-original parts, etc.).
5. The damage has not been caused by the use of non-original FUTECH accessories.

The manufacturer's warranty does NOT cover periodic maintenance work (e.g. annual fine tuning) or any batteries provided with the unit. The manufacturer's warranty is granted to the first owner of the device as stated on the invoice of the authorised FUTECH distributor. The warranty cannot be transferred to any other party.


All repair costs (e.g. transport, parts, labour, etc.) for repairs not covered by the manufacturer's warranty shall be borne in full by the user.

VISIT US ONLINE FOR

extensive product information
product comparison
manuals
videos

...

www.futech-tools.com



JOIN US

-  Facebook @futechtools
-  LinkedIn futechtools
-  World Wide Web futech-tools.com
-  YouTube



subscribe
for the latest videos

YOUR FUTECH DEALER:

EGGESTRAND AB
PROFFS PÅ VERKTYG

Eggestrand AB
Borgås Gårdsväg 20
434 39 Kungsbacka

Tel. 0300-700 50
info@eggestrandab.se
www.eggestrandab.se

Changes in price, shape, execution and potential misprints are reserved. Images used are not strict. Prices are valid until 31-07-2022 and are always exclusive of customs and taxes. Improved productversions can be launged during the year.